

# Compiling PARI from the GIT repository

B. Allombert and K. Belabas

IMB  
CNRS/Université de Bordeaux

20/01/2020



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement N° 676541

## Introduction

This talk focuses on the current development version of the PARI library (2.12.\*), available from our GIT repository, see

<http://pari.math.u-bordeaux.fr/anongit.html>

The text of this talk is available in the files `sources.*` in

[http://pari.math.u-bordeaux.fr/Events/  
PARI2020/talks/](http://pari.math.u-bordeaux.fr/Events/PARI2020/talks/)

## Windows users

Download a precompiled 64bit installer

`Pari64-2-12-1.A2020.exe` or 32bit binary

`Pari32-2-12-1.A2020.exe` from

`http://pari.math.u-bordeaux.fr/pub/pari/  
windows/snapshots/`

Also available are precompiled 64bit binary

`gp64-gmp-git*.exe` or 32bit binary `gp32-gmp-git*.exe`.

## Mac OS users

Download a precompiled DMG

`PariGP-full-2.12.1.A2020.dmg` or

`PariGP-full-2.12.1.A2020-pthread.dmg` from

<http://pari.math.u-bordeaux.fr/pub/pari/mac/snapshots/>

on some system, you need to right-click on the icon and select open, so that you can bypass the security check.

Also are precompiled binary `gp-git*-osx`.

## Linux

To install all the packages required to build pari from source:

### Debian/Ubuntu

```
sudo apt-get build-dep pari
sudo apt-get install libreadline-dev libgmp-dev
```

### Fedora

```
sudo dnf install readline-devel gmp-devel
```

If you want to use git, also do

### Debian/Ubuntu

```
sudo apt-get install git bison automake autoconf
```

### Fedora

```
sudo dnf install git bison automake autoconf
```

## From source with GIT

Clone the PARI repository with GIT (~ 150MB).

```
git clone http://pari.math.u-bordeaux.fr/git/pari.git
cd pari
```

## From source without GIT

Download `pari-2.12.1.A2020.tar.gz` from

`http://pari.math.u-bordeaux.fr/pub/pari/snapshots/`

and unpack it

```
tar xf pari-2.12*.tar.gz
cd pari-2.12*
```

## PARI compilation

```
./Configure --prefix=GPDIR --mt=pthread
make -j4 gp
make doc
make statest-all
make install
make install-bin-sta
./Configure --prefix=GPDIR.dbg -g
make -j4 gp.dbg
make install -C Olinux-x86_64.dbg
GPDIR/bin/gp
```



## Optional PARI packages

To install optional PARI packages from

```
https://pari.math.u-bordeaux.fr/packages.html
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/galdata.tgz
```

```
tar xf galdata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/elldata.tgz
```

```
tar xf elldata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/galpol.tgz
```

```
tar xf galpol.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/seadata.tgz
```

```
tar xf seadata.tgz
```

```
make install-data
```

## GP configuration

Create and customize `~/.gprc`. Add

```
histfile = "~/.gp_history"
colors = "lightbg" \\ or "darkbg"
lines = 40
parisizemax = 4G \\ or the maximum amount of memory
                \\ GP can use (important)
threadsizemax = 1G
read "~/.gprc.gp"
```

Create an empty file `~/.gprc.gp`

## GP2C compilation

With GIT (and automake, autoconf):

```
git clone http://pari.math.u-bordeaux.fr/git/gp2c.git
cd gp2c
./autogen.sh
```

Without GIT: download GP2C from <http://pari.math.u-bordeaux.fr/download.html#gp2c>

```
tar xf gp2c-0.0.11p12.tar.gz
cd gp2c-0.0.11p12
```

## GP2C compilation

```
./configure --prefix=$PWD/../GPDIR \  
    --with-paricfg=../GPDIR/lib/pari/pari.cfg \  
    --with-paricfg.dbg=../GPDIR.dbg/lib/pari/pari.cfg  
make check  
make install  
cd ..  
GPDIR/bin/gp2c -v
```

## Updating GIT

To update GIT to the most recent revision:

```
git fetch
git rebase origin/master
./Configure -l
make install
```

## Changelog

You can see the latest commits with

```
git log
```